



RoHS 3 Lead Free and REACH Compliance Declaration

Dear Customer,

09/27/2017



By means of this letter, we confirm to you we are well aware of the obligations deriving from the EC Regulation 1907/2006 (called "REACH"). Thus, we inform you that Challenge Electronics has duly analyzed the impact that this Regulation may have on Challenge Electronics both in its role as a Supplier and as a Customer. Therefore, this document certifies that, to the best of our knowledge, Challenge Electronics product line listed below does not contain any elements of the 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and Substances of Very High Concern (SVHC), European Union Directive 2002/95/EU (RoHS Directive), 2011/65/EU (RoHS 2 Directive), and 2015/863/EU (RoHS 3 Directive) of the European Parliament. With one exception of Product Line which Contain Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics.

- 1) According to the REACH terminology, Challenge Electronics acknowledge being Producers, Importers and Marketer of the Product Line Articles (shown below), which do not contain Substances of Very High Concern (SVHC's) to be intentionally released.
- 2) The Challenge Electronics Product Line are to the best of our knowledge manufactured under the Lead Free Program and complies with European Union Directive 2002/95/EU (RoHS Directive), 2011/65/EU (RoHS 2 Directive), and 2015/863/EU (RoHS 3 Directive) of the European Parliament.
- 3) Challenge Electronics hereby declares, to the best of our knowledge and based on our China Manufacturers and Fabricators information, that, all Challenge Electronics Product Line Articles (shown below), are chemically safe, and should not harm any human, animals, or the environment.
- 4) It should be noted that SVHC items are not banned from inclusion, but are Reportable per current REACH regulations
 - a) With the exception of The Piezoelectric-Ceramic-Disc article that CONTAINS more than 0.1% (w/w) of REACH Candidate List SVHC Lead-Zirconium-Titanium-Oxide (CAS 12626-81-2), which is a key ingredient of the Piezoelectric-Ceramic-Disc in the Alarm operation. See also the RoHS Compliance ANNEX III of the Directive Applications exempted from the restriction in Article 4(1)
 - b) Some SMD and Dip type Capacitors CONTAINS one of the following Lead Oxides published in the ECHA SVHC Candidate List at or greater than 0.1% of total weight: Lead monoxide (CAS 1317-36-8), Lead titanium zirconium oxide (CAS 12626-81-2)
- 5) In all cases, the lead substance is chemically combined in Capacitors and presents no hazard to humans or the environment under normal handling and use. In addition, Challenge Electronics complies with the restrictions stated in Annex XVII of REACH.
- 6) In Challenge Electronics role as Supplier, we have taken the necessary steps towards our China Manufacturing partners in order to get a written confirmation about their knowledge of the Regulation and their analysis of the impact on their company.

Challenge Electronics Product Line List

Product Line	REACH Complaint	Exception for
Electromagnetic Sound Transducers	Yes	
Electromagnetic Buzzers	Yes	
Mechanical Buzzers	Yes	
Piezoelectric Alarms	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Piezoelectric Buzzers	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Piezoelectric Sound Transducers	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Piezoelectric Sound Elements	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Microphones (Excluding Piezoelectric Microphones)	Yes	
Piezoelectric Microphones	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Speakers (Excluding Piezoelectric Speakers)	Yes	
Piezoelectric Speakers	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Headphone Sets	Yes	
Ultrasonic Sensors (Transmitters and Receivers)	Yes with Exception	Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics
Battery Accessories	Yes	
Alarm Accessories	Yes	



RoHS 3 COMPLIANCE DECLARATION

Challenge Electronics certifies the product lines listed in page # 1 as lead-free, and are in compliance with European Union Directive 2002/95/EU (RoHS Directive), 2011/65/EU (RoHS 2 Directive), and 2015/863/EU (RoHS 3 Directive) of the European Parliament, with respect to the following substances:

EU RoHS compliant is defined as meeting the following requirements:

Restricted Substance	Maximum Threshold Limit	Product Results
Lead (Pb) / Lead Compounds	≤1,000 ppm	≤ 10,000 ppm ⁽¹⁾⁽²⁾
Mercury (Hg) / Mercury Compounds	≤1,000 ppm	In compliance
Cadmium (Cd) / Cadmium Compounds	≤ 100 ppm	In compliance
Hexavalent Chromium (Cr VI)	≤1,000 ppm	In compliance
Polybrominated Biphenyls (PBB)	≤1,000 ppm	In compliance
Polybrominated Diphenyl Ethers (PBDE)	≤1,000 ppm	In compliance
Bis (2-Ethylhexyl) Phthalate (DEHP)	≤1,000 ppm	In compliance
Butyl Benzyl Phthalate (BBP)	≤1,000 ppm	In compliance
Dibutyl Phthalate (DBP)	≤1,000 ppm	In compliance
Diisobutyl Phthalate (DIBP)	≤1,000 ppm	In compliance

- (1) In compliance for all Challenge Electronics Product Line List in page # 2 with the Exception of Product Line which Contain Piezoelectric is also known as Lead Zirconate Titanate (PZT) Ceramics which are exempted.
- (2) The RoHS 3 of the European Parliament exempted from the restriction in Article 4(1): 7(c)-I, Electrical and electronic components containing Lead in ceramic matrix compound Piezoelectric is also known as Lead Zirconate Titanate (PZT) ceramics. Lead content, homogeneous material compound is between 58% and 68% by weight depending on the proportion of Zirconium (Zr) and Titanium (Ti)

The ANNEX III of the Directive Applications exempted from the restriction in Article 4(1):

- 6(c)-- Copper alloy containing up to 4% Lead by weight
- 7(a)-- Lead in high melting temperature type solders (i.e. Lead- based alloys containing 85 % by weight or more Lead)
- 7(c)-I-- Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. Piezoelectric devices, or in a glass or ceramic matrix compound.
 Piezoelectric is also known as Lead Zirconate Titanate (PZT) ceramics. Piezoelectric Ceramic disc, (PZT), Lead as high covalent compound in the ceramic matrix to achieve good ferroelectric properties in a wide temperature range. The best-known performances can be reached with PZT ceramics, which are a mixture of PbTiO3 and PbZrO3. The Lead content, homogeneous material compound is between 58% and 68% by weight depending on the proportion of Zirconium (Zr) and Titanium (Ti).
- 30-- Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice-coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more

IMDS Information for Piezoelectric

Automotive Industry Interpretation Guide for ELV Annex II (2016/774/EU) with IMDS Information added by the IMDS Steering Committee

- Interpretation Guide for ELV Annex II (2016/774/EC) Version 3.0
- Definition/interpretation of -Exemption (10a)

10(a). Electrical and electronic components, which contain lead in a glass or ceramic, in a glass or ceramic matrix compound, in a glass-ceramic material, or in a glass-ceramic matrix compound. This exemption does not cover the use of lead in: <ul style="list-style-type: none"> • glass in bulbs and glaze of spark plugs, • dielectric ceramic materials of components listed under 10(b), 10(c) and 10(d)
DUE DATE: none
IMDS APPLICATION CODE: 10(a). Electrical and electronic components, which contain lead in a glass or ceramic, in a glass or ceramic matrix compound, in a glass-ceramic material, or in a glass-ceramic matrix compound. This exemption does not cover the use of lead in: <ul style="list-style-type: none"> • glass in bulbs and glaze of spark plugs, • dielectric ceramic materials of components Listed under 10(b), 10(c) and 10(d).

This exemption is related to electrical/ electronic applications in general, which are not covered by 10b -d). Exemptions 10b-d subsume specific applications of lead in glass and ceramic of electric and electronic components.

- To better understand what is meant here and what is in scope, the single elements of this exemption are defined separately.
 - For definitions on electrical and Electronic Components, please see guide section for entry 8a.
- 2) Examples for components covered by 10 a)
- a) Piezoceramics
- Piezoceramics are characterized through their ability to transform mechanical energy in electrical energy and reciprocal. They fulfil technical functions as actuators, sensors, generators and motors. They are used for instance in Actuators for diesel and gasoline injection valves, knock sensors, resonator and filter, actuators, bending actuators for pneumatic valves, tire Pressure Sensors, ceramic sensors (like ABS, air bag, pressure, car navigation sensors), Piezoelectric Alarms, Piezoelectric buzzers, Piezoelectric Sound Transducers, Ultrasonic Sensor and Transmitter. The lead content in the Piezoceramics ceramics is around 50 to 70% by weight, depending on the content of dopants, required functional properties and on the proportion of Zirconium (Zr) and Titanium (Ti).



Challenge Electronics
 95 E. Jefryn Blvd
 Deer Park, NY 11729
 Tel: 1-800-722-8197

**Standard Operating Procedures
 CE-0151.005**

Page 3 of 6
 Revision Date: 09/27/2017
 Revision #: 11

RoHS 3 & REACH Declaration of Compliance


The statements in this letter regarding RoHS 3 Compliance and lead content do not extend to, or apply to any product subjected to unintended contamination, misuse, neglect, accident, improper installation, or to use in violation of instructions furnished by Challenge Electronics

No Ozone Depleting Substance (ODS), covered by the Montreal Protocol, are used in the manufacturing process of Challenge Electronics Product Line

The above statements fulfill the communication requirements stated in REACH, Article 33. All enquiries related to RoHS, REACH and SVHCs could be sent to our REACH Coordinator, Josh Klyman, by e-mail at jklyman@challelec.com.

Sincerely,

Authorized signatures for Challenge Electronics:

Name: **Josh Klyman** Position: **Engineering Director**
 Signature:  Date: **09/27/2017**

The information contained in this letter is being provided for informational purposes only and to clarify certain information concerning Challenge Electronics products. Nothing provided in this letter is:

- (i) a representation, warranty or agreement to indemnification by Challenge Electronics
- (ii) a statement which may form the basis of reliance by Challenge Electronics

a modification of any of the terms and conditions of sale agreed to in writing between Challenge Electronics and its customers with respect to any Challenge Electronics products, whether previously sold or to be sold in the future

Revisions to SVHC Candidate List, which have been reviewed in preparation of this statement:

Regulation (EC) 440/2008 of 30 May 2008	Regulation (EC) 987/2008 of 8 October 2008	Regulation (EC) 134/2009 of 16 February 2009
Regulation (EC) 552/2009 of 22 June 2009	Regulation (EC) 761/2009 of 23 July 2009	Regulation (EU) 276/2010 of 31 March 2010
Regulation (EU) 453/2010 of 20 May 2010	Regulation (EU) 1152/2010 of 8 December 2010	Regulation (EU) 143/2011 of 17 February 2011
Regulation (EU) 207/2011 of 2 March 2011	Regulation (EU) 252/2011 of 15 March 2011	Regulation (EU) 253/2011 of 15 March 2011
Regulation (EU) 366/2011 of 14 April 2011	Regulation (EU) 494/2011 of 20 May 2011	Regulation (EU) 109/2012 of 9 February 2012
Regulation (EU) 125/2012 of 14 February 2012	Regulation (EU) 412/2012 of 15 May 2012	Regulation (EU) 640/2012 of 6 July 2012
Regulation (EU) 835/2012 of 18 September 2012	Regulation (EU) 836/2012 of 18 September 2012	Regulation (EU) 847/2012 of 19 September 2012
Regulation (EU) 848/2012 of 19 September 2012	Regulation (EU) 126/2013 of 13 February 2013	Regulation (EU) 254/2013 of 20 March 2013
Regulation (EU) 348/2013 of 17 April 2013	Regulation (EU) 1272/2013 of 6 December 2013	Regulation (EU) 260/2014 of 24 January 2014
Regulation (EU) 301/2014 of 25 March 2014	Regulation (EU) 317/2014 of 27 March 2014	Regulation (EU) 474/2014 of 8 May 2014
Regulation (EU) 900/2014 of 15 July 2014	Regulation (EU) 895/2014 of 14 August 2014	Regulation (EU) 2015/282 of 20 February 2015
Regulation (EU) 2015/326 of 2 March 2015	Regulation (EU) 2015/628 of 22 April 2015	Regulation (EU) 2015/830 of 28 May 2015
Regulation (EU) 2015/1494 of 4 September 2015	Regulation (EU) 2016/266 of 7 December 2015	Regulation (EU) 2016/9 of 5 January 2016
Regulation (EU) 2016/26 of 13 January 2016	Regulation (EU) 2016/217 of 16 February 2016	Regulation (EU) 2016/863 of 31 May 2016
Regulation (ED) 2017/01 of 12 January 2017	Regulation (ED) 2017/30 of 07 July 2017	



RoHS 3 & REACH Declaration of Compliance

REACH SVHC List: 174 Substances

ECHA Source: <http://echa.europa.eu/candidate-list-table>

More Info: <http://www.chemsafetypro.com>

	Name	EC Number	CAS Number	Date of inclusion
1	Perfluorohexane-1-sulfonic acid and its salts (PFHxS)	-	-	07/07/2017
2	4,4'-isopropylidenediphenol (bisphenol A)	201-245-8	80-05-7	12/01/2017
3	nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	206-400-3	335-76-2	12/01/2017
4	4-heptylphenol, branched and linear (4-HPbl)	-	-	12/01/2017
5	p-(1,1-dimethylpropyl)phenol (PTAP)	201-280-9	80-46-6	12/01/2017
6	Benzo[def]chrysene	200-028-5	50-32-8	20/06/2016
7	Nitrobenzene	202-716-0	98-95-3	12/17/2015
8	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	223-383-8	3864-99-1	12/17/2015
9	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	253-037-1	36437-37-3	12/17/2015
10	1,3-propanesultone	214-317-9	1120-71-4	12/17/2015
11	Perfluorononan-1-oi-c-acid and its sodium and ammonium salts	206-801-3	375-95-1, 21049-39-8, 4149-60-4	12/17/2015
12	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	271-094-0, 272-013-1	68515-51-5, 68648-93-1	6/15/2015
13	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	-	6/15/2015
14	Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	117-81-7	2014/12/17; 2008/10/28
15	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	247-384-8	25973-55-1	12/17/2014
16	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	223-346-6	3846-71-7	12/17/2014
17	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	239-622-4	15571-58-1	12/17/2014
18	Cadmium fluoride	232-222-0	7790-79-6	12/17/2014
19	Cadmium sulphate	233-331-6	10124-36-4, 31119-53-6	12/17/2014
20	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-	-	12/17/2014
21	1,2-Benzenedicarboxylic acid, dihexylester, branched and linear	271-093-5	68515-50-4	6/16/2014
22	Cadmium chloride	233-296-7	10108-64-2	6/16/2014
23	Sodium perborate,perboric acid, sodium salt	239-172-9, 234-390-0	-	6/16/2014
24	Sodium peroxometaborate	231-556-4	7632-4-4,	6/16/2014
25	Cadmium sulphide	215-147-8	1306-23-6	12/16/2013
26	Diethyl phthalate	201-559-5	84-75-3	12/16/2013
27	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	209-358-4	573-58-0	12/16/2013
28	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	217-710-3	1937-37-7	12/16/2013
29	Imidazolidine-2-thione (2-imidazoline-2-thiol)	202-506-9	96-45-7	12/16/2013
30	Lead di(acetate)	206-104-4	301-04-2	12/16/2013
31	Triethyl phosphate	246-677-8	25155-23-1	12/16/2013
32	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	-	6/20/2013
33	Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	6/20/2013
34	Cadmium	231-152-8	7440-43-9	6/20/2013
35	Cadmium oxide	215-146-2	1306-19-0	6/20/2013
36	Dipentyl phthalate (DPP)	205-017-9	131-18-0	6/20/2013
37	Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	6/20/2013
38	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	12/19/2012
39	1,2-Diethoxyethane	211-076-1	629-14-1	12/19/2012
40	1-bromopropane (n-propyl bromide)	203-445-0	106-94-5	12/19/2012
41	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	12/19/2012
42	4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	12/19/2012
43	4,4'-oxydianiline and its salts	202-977-0	101-80-4	12/19/2012
44	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	-	12/19/2012
45	4-Aminoazobenzene	200-453-6	60-09-3	12/19/2012
46	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	202-453-1	95-80-7	12/19/2012
47	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	-	12/19/2012
48	6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8	12/19/2012
49	[Phthalato(2-)]dioxotrilead	273-688-5	69011-06-9	12/19/2012
50	Acetic acid, lead salt, basic	257-175-3	51404-69-4	12/19/2012
51	Biphenyl-4-ylamine	202-177-1	92-67-1	12/19/2012
52	Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)	214-604-9	1163-19-5	12/19/2012
53	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	201-604-9, 236-086-3, 238-009-9	85-42-7, 13149-00-3, 14166-21-3	12/19/2012
54	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA)	204-650-8	123-77-3	12/19/2012



RoHS 3 & REACH Declaration of Compliance

55	Dibutyltin dichloride (DBTC)	211-670-0	683-18-1	12/19/2012
56	Diethyl sulphate	200-589-6	64-67-5	12/19/2012
57	Diisopentylphthalate	210-088-4	605-50-5	12/19/2012
58	Dimethyl sulphate	201-058-1	77-78-1	12/19/2012
59	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	201-861-7	88-85-7	12/19/2012
60	Dioxobis(stearato)trilead	235-702-8	12578-12-0	12/19/2012
61	Fatty acids, C16-18, lead salts	292-966-7	91031-62-8	12/19/2012
62	Furan	203-727-3	110-00-9	12/19/2012
63	Henicosaflluoroundecanoic acid	218-165-4	2058-94-8	12/19/2012
64	Heptacosaflluorotetradecanoic acid	206-803-4	376-06-7	12/19/2012
65	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	247-094-1, 243-072-0, 256-356-4, 260-566-1	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	12/19/2012
66	Lead bis(tetrafluoroborate)	237-486-0	13814-96-5	12/19/2012
67	Lead cyanamidate	244-073-9	20837-86-9	12/19/2012
68	Lead dinitrate	233-245-9	10099-74-8	12/19/2012
69	Lead monoxide (lead oxide)	215-267-0	1317-36-8	12/19/2012
70	Lead oxide sulfate	234-853-7	12036-76-9	12/19/2012
71	Lead titanium trioxide	235-038-9	12060-00-3	12/19/2012
72	Lead titanium zirconium oxide	235-727-4	12626-81-2	12/19/2012
73	Methoxyacetic acid	210-894-6	625-45-6	12/19/2012
74	Methyloxirane (Propylene oxide)	200-879-2	75-56-9	12/19/2012
75	N,N-dimethylformamide	200-679-5	68-12-2	12/19/2012
76	N-methylacetamide	201-182-6	79-16-3	12/19/2012
77	N-pentyl-isopentylphthalate		776297-69-9	12/19/2012
78	o-aminoazotoluene	202-591-2	97-56-3	12/19/2012
79	o-Toluidine	202-429-0	95-53-4	12/19/2012
80	Orange lead (lead tetroxide)	215-235-6	1314-41-6	12/19/2012
81	Pentacosaflluorotridecanoic acid	276-745-2	72629-94-8	12/19/2012
82	Pentalead tetraoxide sulphate	235-067-7	12065-90-6	12/19/2012
83	Pyrochlore, antimony lead yellow	232-382-1	8012-00-8	12/19/2012
84	Silicic acid (H₂Si₂O₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD),the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	272-271-5	68784-75-8	12/19/2012
85	Silicic acid, lead salt	234-363-3	11120-22-2	12/19/2012
86	Sulfurous acid, lead salt, dibasic	263-467-1	62229-08-7	12/19/2012
87	Tetraethyllead	201-075-4	78-00-2	12/19/2012
88	Tetralead trioxide sulphate	235-380-9	12202-17-4	12/19/2012
89	Tricosaflluorododecanoic acid	206-203-2	307-55-1	12/19/2012
90	Trilead bis(carbonate) dihydroxide	215-290-6	1319-46-6	12/19/2012
91	Trilead dioxide phosphonate	235-252-2	12141-20-7	12/19/2012
92	1,2-bis(2-methoxyethoxy)ethane (TEGDME, triglyme)	203-977-3	112-49-2	6/18/2012
93	1,2-dimethoxyethane,ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	6/18/2012
94	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	219-514-3	2451-62-9	6/18/2012
95	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	423-400-0	59653-74-6	6/18/2012
96	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	209-218-2	561-41-1	6/18/2012
97	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	202-027-5	90-94-8	6/18/2012
98	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	208-953-6	548-62-9	6/18/2012
99	[4-[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	219-943-6	2580-56-5	6/18/2012
100	Diboron trioxide	215-125-8	1303-86-2	6/18/2012
101	Formamide	200-842-0	75-12-7	6/18/2012
102	Lead(II) bis(methanesulfonate)	401-750-5	17570-76-2	6/18/2012
103	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	202-959-2	101-61-1	6/18/2012
104	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	229-851-8	6786-83-0	6/18/2012
105	1,2-Dichloroethane	203-458-1	107-06-2	12/19/2011
106	2,2'-dichloro-4,4'-methylenedianiline	202-918-9	101-14-4	12/19/2011
107	2-Methoxyaniline,o-Anisidine	201-963-1	90-04-0	12/19/2011
108	4-(1,1,3,3-tetramethylbutyl)phenol	205-426-2	140-66-9	12/19/2011
109	Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight	-	-	12/19/2011
110	Arsenic acid	231-901-9	7778-39-4	12/19/2011
111	Bis(2-methoxyethyl) ether	203-924-4	111-96-6	12/19/2011
112	Bis(2-methoxyethyl) phthalate	204-212-6	117-82-8	12/19/2011
113	Calcium arsenate	231-904-5	7778-44-1	12/19/2011
114	Dichromium tris(chromate)	246-356-2	24613-89-6	12/19/2011



RoHS 3 & REACH Declaration of Compliance

115	Formaldehyde, oligomeric reaction products with aniline	500-036-1	25214-70-4	12/19/2011
116	Lead diazide, Lead azide	236-542-1	13424-46-9	12/19/2011
117	Lead dipicrate	229-335-2	6477-64-1	12/19/2011
118	Lead styphnate	239-290-0	15245-44-0	12/19/2011
119	N,N-dimethylacetamide	204-826-4	127-19-5	12/19/2011
120	Pentazinc chromate octahydroxide	256-418-0	49663-84-5	12/19/2011
121	Phenolphthalein	201-004-7	77-09-8	12/19/2011
122	Potassium hydroxyoctaoxodizincatedichromate	234-329-8	11103-86-9	12/19/2011
123	Trilead diarsenate	222-979-5	3687-31-8	12/19/2011
124	Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (µm). c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight	-	-	12/19/2011
125	Cobalt dichloride	231-589-4	7646-79-9	2011/06/20, 2008/10/28
126	1,2,3-trichloropropane	202-486-1	96-18-4	6/20/2011
127	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	276-158-1	71888-89-6	6/20/2011
128	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	271-084-6	68515-42-4	6/20/2011
129	1-Methyl-2-pyrrolidone (NMP)	212-828-1	872-50-4	6/20/2011
130	2-Ethoxyethyl acetate	203-839-2	111-15-9	6/20/2011
131	Hydrazine	206-114-9	302-01-2, 7803-57-8	6/20/2011
132	Strontium chromate	232-142-6	7789-6-2,	6/20/2011
133	2-Ethoxyethanol	203-804-1	110-80-5	12/15/2010
134	2-Methoxyethanol	203-713-7	109-86-4	12/15/2010
135	Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid.	231-801-5, 236-881-5	7738-94-5, 13530-68-2	12/15/2010
136	Chromium trioxide	215-607-8	1333-82-0	12/15/2010
137	Cobalt(II) carbonate	208-169-4	513-79-1	12/15/2010
138	Cobalt(II) diacetate	200-755-8	71-48-7	12/15/2010
139	Cobalt(II) dinitrate	233-402-1	10141-05-6	12/15/2010
140	Cobalt(II) sulphate	233-334-2	10124-43-3	12/15/2010
141	Ammonium dichromate	232-143-1	7789-9-5,	6/18/2010
142	Boric acid	233-139-2, 234-343-4	10043-35-3, 11113-50-1, 12179-04-3	6/18/2010
143	Disodium tetraborate, anhydrous	215-540-4	1303-96-4, 1330-43-4,	6/18/2010
144	Potassium chromate	232-140-5	7789-00-6	6/18/2010
145	Potassium dichromate	231-906-6	7778-50-9	6/18/2010
146	Sodium chromate	231-889-5	7775-11-3,	6/18/2010
147	Tetraboron disodium heptaoxide, hydrate	235-541-3	12267-73-1	6/18/2010
148	Trichloroethylene	201-167-4	79-01-6	6/18/2010
149	Acrylamide	201-173-7	79-06-1	3/30/2010
150	2,4-Dinitrotoluene	204-450-0	121-14-2	1/13/2010
151	Anthracene oil	292-602-7	90640-80-5	1/13/2010
152	Anthracene oil, anthracene paste	292-603-2	90640-81-6	1/13/2010
153	Anthracene oil, anthracene paste, anthracene fraction	295-275-9	91995-15-2	1/13/2010
154	Anthracene oil, anthracene paste, distn. lights	295-278-5	91995-17-4	1/13/2010
155	Anthracene oil, anthracene-low	292-604-8	90640-82-7	1/13/2010
156	Diisobutyl phthalate	201-553-2	84-69-5	1/13/2010
157	Lead chromate	231-846-0	7758-97-6	1/13/2010
158	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	235-759-9	12656-85-8	1/13/2010
159	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	215-693-7	1344-37-2	1/13/2010
160	Pitch, coal tar, high temp.	266-028-2	65996-93-2	1/13/2010
161	Tris(2-chloroethyl)phosphate	204-118-5	115-96-8	1/13/2010
162	4,4'- Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	10/28/2008
163	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	201-329-4	81-15-2	10/28/2008
164	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	287-476-5	85535-84-8	10/28/2008
165	Anthracene	204-371-1	120-12-7	10/28/2008
166	Benzyl butyl phthalate (BBP)	201-622-7	85-68-7	10/28/2008
167	Bis(tributyltin) oxide (TBTO)	200-268-0	56-35-9	10/28/2008
168	Diarsenic pentaoxide	215-116-9	1303-28-2	10/28/2008
169	Diarsenic trioxide	215-481-4	1327-53-3	10/28/2008
170	Dibutyl phthalate (DBP)	201-557-4	84-74-2	10/28/2008
171	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	247-148-4, 221-695-9	25637-99-4, 3194-55-6, 134237-50-6, 134237-51-7, 134237-52-8	10/28/2008
172	Lead hydrogen arsenate	232-064-2	7784-40-9	10/28/2008
173	Sodium dichromate	234-190-3	7789-12-0, 10588-01-9	10/28/2008
174	Triethyl arsenate	427-700-2	15606-95-8	10/28/2008